MATERIAL SAFETY DATA SHEET

This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174

		DISTRI	BUTOR'S	SINFORMATIC	N			· · · · · · · · · · · · · · · · · · ·	
NFPA Rating: Health-2;	Flammability-3; Reactivity-0; Special-0		HMIS Rat	ing: Health-2; I	lammabil	itv-3: Reactiv	itv-0: Person	al Protection-B	
Manufactured For: WAXIE Sanitary Supply			HMIS Rating: Health-2; Flammability-3; Reactivity-0; Personal Protection-B DOT Hazard Classification: ORM-D						
Address:	2070141			ity (trade name as used on label):					
Address:	San Diego, CA 92193-1036		Jelled Rite-Away Vandalism Mark Remover						
Phone: 1-800-995-446	66		MSDS N	Number: A001		Revision		7461	
EMERGENCY RESPONS		nformation Calls: 858-292-8111							
			Date Prepared: 12/06/01 Prepared By: CH/TR						
	SECTION 1 - MATERI	AL IDEN					Jarou Dy. C	71 77 11 11 11 11 11 11 11 11 11 11 11 1	
COMPONENTS-CHEMIC	AL NAMES AND COMMON NAMES	AL IDEN	HEICAH	CAS Number	SARA		A COUL	Ci	
(Hazardous Components 1% or greater; Carcinogens 0.1% or greater)				CAS Number	III LIST	OSHA PEL (ppm)	ACGIH TLV (ppm)	Carcinogen Ref. Source **	
ETHYL ALCOHOL				64-17-5	No	1000	1000	d d	
TOLUENE				108-88-3	Yes	200	1000		
ACETONE				67-64-1	No	1000	750	d	
ISOPROPYL ALCOHOL				67-63-0				d	
2-BUTOXYETHANOL *					No	400 25	400 20	d	
2 DO TOXILLIMATOL				111-76-2	Yes	(skin)	(skin)	d	
ISOBUTANE / PROPANE BLEND				75-28-5	No	800	800	d	
				74-98-6	No	1000	1000	d	
METHANOL				67-56-1	Yes	200	200	d	
*GLYCOL ETHER									
WARNING: This prod	uct contains a chemical or chemicals kr	nown to	the						
State of California to	cause birth defects or other reproductive	e harm							
	SECTION 2 - PHYS		IEMICAL	CHADACTEDI	eTICE				
Boiling Point: N/A	OLO HON 2 - 1 1110					ata Only = 0.9	1		
	- Z			Gravity (H2O=1): Concentrate Only = 0.81 essure (Non-Aerosols)(mm Hg and Temperature); N/A					
				tion Rate (= 1): N/E					
			Water Reactive: No						
Appearance and Odor:	Clear gel, aromatic solvent odor.								
	SECTION 3 - FIR	E AND E	XPL OSI	ON HAZARD D	ΔΤΔ				
FLAMMABILITY as per USA FLAME PROJECTION TEST Auto Ignition Temperature Flammability Limits in Air by % in Volur						in Volume:			
(aerosols) EXTREMELY FLAMMABLE			N/E % LEL: N/E % UEL: N/E						
FLASH POINT AND METHOD USED (non-aerosols): N/A EXTINGUISHER MEDIA: Foam, dry chemical, carbon dioxide, water fog.									
SPECIAL FIRE FIGHTING	PROCEDURES: Self-contained breathing appar	atus.	LX1111001	OTTER WEDIA.	oam, ary c	incinical, carb	on dioxide, wa	ter log.	
Unusual Fire & Explosion	n Hazards: Do not expose aerosols to temperatu	ires above	130°F or t	he container may	rupture.	***************************************			
				AZARD DATA					
STABILITY [X] STABLE [] UNSTABLE HAZ			HAZARD OCCUR	AZARDOUS POLYMERIZATION [] WILL [X] WILL NOT CCUR					
Incompatibility (Mat. to	o avoid): Acids and strong oxidizers.		Conditio	ns to Avoid: C	pen flan	ne welding a	rcs heat sr	narks	
	sition Products: CO, CO2.				F	,	, , р		
• • • • • • • • • • • • • • • • • • •		5 - HEAI	ТН НА7	ARD DATA					
SECTION 5 - HEALTH HAZARD DATA PRIMARY ROUTES OF ENTRY: [X]INHALATION []INGESTION [X]SKIN ABSORPTION []EYE []NOT HAZARDOUS									
ACUTE EFFECTS:									
Inhalation: Excessive inhalation of vapors can be harmful and may cause headache, dizziness, asphyxia, anesthetic effects and possible unconsciousness.									
Eye Contact: Irritation				act: Irritation		and possible d	. recinedicaerio		
ngestion: Possible chemi	cal pneumonitis if aspirated into lungs. Nausea.		***************************************		····				
CHRONIC EFFECTS: (Effe	ects due to excessive exposure to the raw materia	ls of this n	nixture) Ma	ay cause cardiac a	bnormalit	y, liver abnorm	alities, kidney	and/or liver damage	
_ab animals have experien	ced anemia, liver, kidney, lung, blood damage to (Glycol Ethe	er EB.				-		
Medical Conditions Gener	rally Aggravated by Exposure: May aggravate e				conditions.				
	EMERGENO		T AID PR	OCEDURES					
	ater for 15 minutes. If irritated, seek medical atter								
	oap and water. If irritated, seek medical attention								
ngostion: DO NOT INDU	h air. Resuscitate if necessary. Get medical atter	ntion.		1. 1. 16. 11					
ilgestion. DO NOT INDU	CE VOMITING. Drink two large glasses of water	. Get imm	ediate med	dical attention.		***************************************			
3it	SECTION 6 - CONT	ROL ANI	DPROTE	CTIVE MEASU	IRES			***************************************	
respiratory Protection (sp	pecify type): If vapor concentration exceeds TLV						apor.		
Protective Gloves: Rubbe		E	ye Protec	tion: Safety glass	ses recom	mended.			
Other Protective Clathin-	Adequate ventilation to keep vapor concentratio Regulament: None	n below T	LV.						
Other Protective Clothing & Equipment: None lygienic Work Practices: Wash with soap and water before handling food. Remove contaminated clothing.									
SECTION 7 DECENTION FOR CALIFORNIE CONTROL POR CALIFORNIE CONTROL PO									
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE Steps To Be Taken If Material Is Spilled Or Released: Absorb with suitable medium. Incinerate or landfill according to local, state or Federal regulations. Prevent from									
ntering drains and sewer.	rial is opinied of Released: Adsord with suitable	e meaium.	incinerate	or langfill accord	ing to loca	i, state or Fed	eral regulation	s. Prevent from	
	Aerosol cans when vented to atmospheric pressu	re through	normal us	e nose no disnoc	al hazard				
recautions To Be Taken	In Handling & Storage: Do not puncture or incin	erate cont	ainers Do	not store at temp	eraturee e	hove 130°E			
recautions To Be Taken In Handling & Storage: Do not puncture or incinerate containers. Do not store at temperatures above 130°F. Other Precautions & Or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Avoid food contamination. Avoid breathing years Remove ignition sources.									