

Safety Data Sheet

Issue Date: 03-Oct-2011

Revision/Review Date: 27-Jun-2022

Version 1.2

1. IDENTIFICATION

Product Identifier

Product Name Victoria Bay Heavy Duty Degreaser #10

Other Means of Identification

Product Code S00010/ S00129

Recommended use of the Chemical and Restrictions on Use

Recommended Use Degreaser cleaner concentrate. For industrial & institutional use.

Details of the Supplier of the Safety Data Sheet

Victoria Bay Products
255 Route 1 & 9
Jersey City, NJ 07306

Emergency Telephone Number

Company Phone Number Phone: 1-800-226-3233
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Dark Green

Physical State Liquid

Odor Sassafras

Classification

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage.
May be corrosive to metals.



Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray.
Wash face, hands and any exposed skin thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
Keep only in original container.

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.
IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
IN CASE OF SPILL: Absorb spillage to prevent material damage.

Precautionary Statements - Storage

Store locked up.
Store in corrosive resistant container with a resistant inner liner.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Product AT USE DILUTION

GHS Classification: Not classified.

Signal Word: No signal word.

Hazard Statements: No known significant effects or critical hazards.

Prevention: Wash thoroughly after handling.

Response: Get medical attention if symptoms appear.

Disposal: No other specific measures identified.

Other Hazards: None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Butoxyethanol	111-76-2	3-7
Sodium Silicate	1344-09-8	1-5
Alcohols, C9-11, Ethoxylated	68439-46-3	1-5

**If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret. **

Product AT USE DILUTION

No hazardous ingredients in reportable quantities are present in the product.

4. FIRST-AID MEASURES**First Aid Measures**

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek immediate medical attention/advice.
Skin Contact	Wash with soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse.
Inhalation	Remove to fresh air. Seek immediate medical attention/advice.
Ingestion	Rinse mouth. Do not induce vomiting. Drink plenty of water. Seek medical advice.

Most important Symptoms and Effects

Symptoms	Exposed individuals may experience eye tearing, redness, and discomfort. Contact may cause irritation and redness.
-----------------	--

Indication of any Immediate Medical Attention and Special Treatment Needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

Product AT USE DILUTION

Eye Contact: May cause irritation. Rinse with water for 15 minutes. Get medical advice/attention if irritation persists.

Skin Contact: May cause irritation. Rinse with water for a few minutes.

Inhalation: No special measures required. Treat symptomatically.

Ingestion: Get medical attention if symptoms occur.

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Water spray (fog). Carbon dioxide (CO2). Dry chemical. Foam.

Unsuitable Extinguishing Media

Not determined.

Specific Hazards Arising from the Chemical

None known.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Use personal protection recommended in Section 8.

Environmental Precautions Avoid release to the environment.

Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Collect in a clean, dry waste container for disposal. Dispose of in accordance with federal, state, and local regulations. Use a water rinse for final clean up.

Product AT USE DILUTION

Personal Precautions: Use personal protective equipment as required.

Environmental Precautions: Avoid contact of large amounts of spilled material and runoff with soil and surface waterways.

Methods for Clean Up: Use a water rinse for a final clean-up.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling Wash thoroughly after handling. Use personal protection recommended in Section 8. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice.

Conditions for Safe Storage, including any Incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool, and well-ventilated place. Keep locked up and out of reach of children. Protect from freezing.

Incompatible Materials Acids.

Product AT USE DILUTION

Handling and Storage: Wash thoroughly after handling. Keep out of reach of children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S*S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³

Appropriate Engineering Controls

Engineering Controls General ventilation sufficient.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection Splash goggles or safety glasses.

Skin and Body Protection Chemical resistant protective gloves.

Respiratory Protection Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

Product AT USE DILUTION

Engineering Controls: Good general room ventilation should be adequate.

Eye Protection: Wear glasses or goggles when exposure may occur.

Skin and Body Protection: Wear protective equipment gloves as needed.

Respiratory Protection: No protective equipment is needed under normal use conditions.

General Hygiene Considerations: Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on Basic Physical and Chemical Properties**

Physical State	Liquid	Odor	Sassafras
Appearance	Clear	Odor Threshold	Not determined
Color	Dark Green		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	12.5-13.0	
Melting Point/Freezing Point	~ 0 °C / ~32 °F	
Boiling Point/Boiling Range	101 °C / 214 °F	
Flash Point	Not applicable	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	n/a-liquid	
Upper Flammability Limits	Not determined	
Lower Flammability Limit	Not determined	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Specific Gravity	1.04	
Water Solubility	Completely soluble	@ 25 °C (77 °F)
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

Product AT USE DILUTION

Physical State: Liquid

Color: Green

Odor: Sassafras

pH: 12.5-13.0

10. STABILITY AND REACTIVITY**Reactivity**

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children. Keep from freezing.

Incompatible Materials

Acids.

Hazardous Decomposition Products

When exposed to fire, produces normal products of combustion.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Eye Contact	Causes severe eye damage.
Skin Contact	Causes severe skin burns.
Inhalation	Avoid breathing vapors or mists.
Ingestion	Do not taste or swallow.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 2270 mg/kg (Rat) = 220 mg/kg (Rabbit)	= 2.21 mg/L (Rat) 4 h = 450 ppm (Rat) 4 h
Sodium Silicate 1344-09-8	= 4960 mg/kg (Rat)	-	-
Alcohols, C9-11, Ethoxylated 68439-46-3	= 1378 mg/kg (Rat)	> 2 g/kg (Rabbit)	-

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

Carcinogenicity Not classifiable as a human carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Butoxyethanol 111-76-2	A3	Group 3		

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

Numerical Measures of Toxicity

Not determined

Product AT USE DILUTION

No specific data available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Butoxyethanol 111-76-2	-	1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	-	1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50
Sodium Silicate 1344-09-8	-	3185 mg/L LC50 Brachydanio rerio 96h semi-static mg/L LC50 Lepomis macrochirus 96h	-	216: 96 h Daphnia magna mg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Butoxyethanol 111-76-2	0.81

Other Adverse Effects

Not determined

Product AT USE DILUTION

No specific data available.

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national, and local laws and regulations.

14. TRANSPORT INFORMATION**DOT**

UN3266, Corrosive Liquid, Basic, Inorganic, N.O.S. (Containing Potassium Hydroxide), 8, PG III

49 CFR §173.154 (Exemption): This product can ship as a "Limited Quantity" if packaged in containers < 1.3 gallons.

IATA**IMDG****Product AT USE DILUTION**

Not intended for transport.

15. REGULATORY INFORMATION**International Inventories**

Canada – Domestic Substances List (DSL)
TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.
All ingredients are listed or exempt.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations**SARA 311/312 Hazard Categories****Acute Health Hazard**

Yes

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Butoxyethanol	111-76-2	3-7	1.0

US State Regulations**U.S. State Right-to-Know Regulations**

Chemical Name	State List
Butoxyethanol 111-76-2	MA, NJ, PA

AZ – Arizona Ambient Air Quality Guidelines
CT – Connecticut Hazardous Air Pollutants
CA – California Director's List of Hazardous Substances
CAP65 – California Prop 65
FL – Florida Substances List
ID – Idaho Non-Carcinogen Toxic Air Pollutants

IL – Illinois Toxic Air Contaminants-Carcinogenic
MA – Massachusetts Right to Know List
MN – Minnesota Hazardous Substances List
NJ – New Jersey Right to Know List
PA – Pennsylvania Right to Know List
RI – Rhode Island Hazardous Substances List

IL – Illinois
MA – Massachusetts
MN – Minnesota
NJ – New Jersey
PA – Pennsylvania
RI – Rhode Island

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards	Flammability	Instability	Special Hazards
	Not determined	Not determined	Not determined	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical Hazards	Personal Protection
	3	0	0	Glasses, gloves

Product AT USE DILUTION

Health Hazard: 2
Flammability: 0
Physical Hazards: 0
Personal Protection: Glasses, gloves

Issue Date: 03-Oct-2011
Revision/Review Date: 27-Jun-2022
Revision Note: Version 1.2

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

*Denotes changes from last version.

End of Safety Data Sheet