



MATERIAL SAFETY DATA SHEET

SECTION 1 -- CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME	Oven and Grill Cleaner	PACK	6 / 32 oz.
PRODUCT CODE	8461790		

EMERGENCY TELEPHONE NUMBERS

Medical Information: (800) 228-5635 x161
Transportation: (800) 424-9300 *
 * For spill, leak, fire or transport accident emergencies.
Product Information: (281) 584-1790

ISSUE DATE	02-10-01
------------	----------

MANUFACTURER Sysco Chemical
STREET ADDRESS 1390 Enclave Parkway
CITY, STATE, ZIP Houston, Texas 77077

SECTION 2 -- COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENT	CAS No.	% by wt.	OSHA PEL	EXPOSURE LIMITS	
				ACGIH TLV	NIOSH REL
* -- (see note below) Potassium hydroxide	1310-58-3	4.6	None	2 mg/m3 ceiling	2 mg/m3 TWA
Diethylene glycol butyl ether	112-34-5	10.0	None	None	None
Sodium xylene sulfonate	1300-72-7	3.2	None	None	None

* -- Asterisked ingredients are those considered hazardous according to the criteria of 29CFR 1910.1200. Other ingredients are listed for informational purposes to assist emergency medical response personnel.

SECTION 3 -- HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW	Causes severe chemical burns. Harmful or fatal if swallowed. Eye contact may cause blindness.
POTENTIAL HEALTH EFFECTS	
INGESTION	Corrosive and causes severe and permanent damage to mouth, throat and stomach. May be fatal if swallowed.
INHALATION	Prolonged or repeated inhalation of vapors may cause toxic effects, including headache or dizziness.
EYE CONTACT	Severely corrosive to the eyes, and may cause permanent damage, including blindness.
SKIN CONTACT	Corrosive; causes severe skin burns. Harmful contact may not cause immediate pain.

SECTION 4 -- FIRST AID MEASURES

INGESTION	If swallowed, DO NOT induce vomiting. Immediately drink a large quantity of water. Never give anything by mouth to an unconscious person. Get medical attention immediately.
INHALATION	If exposed to excessive levels of vapors, remove to fresh air and get medical attention if cough or other symptoms develop. If qualified, give oxygen or artificial respiration as needed.
EYE CONTACT	Immediately flush eye with plenty of cool, running water. Remove contact lenses if applicable, and continue flushing for at least 15 minutes, holding eyelids apart to ensure thorough rinsing of the entire eye. Call a physician immediately.
SKIN CONTACT	Immediately flush skin with plenty of cool running water for at least 15 minutes. Wash with soap and water. If irritation develops or persists, get medical attention. Remove contaminated clothing and wash before reuse.
NOTE TO PHYSICIAN	Information pertaining to ingestion toxicology, therapy, symptomatology and treatment can be found in <u>Clinical Toxicology of Commercial Products</u> , authored by Gosselin, Smith and Hodge and published by Williams & Wilkins, Baltimore, Maryland.

SECTION 5 -- FIRE FIGHTING MEASURES

FLASH POINT / METHOD	None / N.A.	FLAMMABLE LIMITS	Not flammable or combustible
EXTINGUISHING MEDIA	If involved in a fire, alcohol foam, carbon dioxide, dry chemical or water fog.		
SPECIAL FIRE FIGHTING PROCEDURES	Firefighters should wear self-contained breathing apparatus, as in all chemical fires.		
FIRE AND EXPLOSION HAZARDS	None		

SECTION 6 -- ACCIDENTAL RELEASE MEASURES

RESPONSE TO SPILLS	Small spills: Flush to sanitary sewer. Mop up residue and rinse area thoroughly with water. Large spills: Dike or dam spill. Pump to containers or soak up on inert absorbent.
--------------------	---

SECTION 7 -- HANDLING AND STORAGE

HANDLING PRECAUTIONS	Wash hands after handling and before eating. Keep container tightly closed when not in use.
STORAGE PRECAUTIONS	Store in a cool dry place. Keep from freezing. Keep out of reach of children.

SECTION 8 -- EXPOSURE CONTROLS / PERSONAL PROTECTION

HYGIENIC PRACTICES	Normal procedures for good hygiene.
ENGINEERING CONTROLS	Local exhaust ventilation may be required to keep vapors within exposure limits. Facilities using this product must be equipped with an eyewash station.

PERSONAL PROTECTIVE EQUIPMENT

	RESPIRATOR	Not normally necessary if ventilation is adequate
X	GOGGLES / FACE SHIELD	Required ; goggles should be chemical splash type
X	APRON	Recommended to protect skin and clothing; PVC, Neoprene or Vinyl acceptable
X	GLOVES	Required ; PVC, Neoprene or Nitrile acceptable
	BOOTS	Not necessary

SECTION 9 -- PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Clear light purple liquid	BOILING POINT	Approx. 212 deg F
ODOR	Glycol ether	FREEZING POINT	Not established
pH	13.7 (100% concentrate)	VAPOR PRESSURE	Not established
SPECIFIC GRAVITY	1.050	VAPOR DENSITY	Not established
SOLUBILITY IN WATER	Complete	EVAPORATION RATE	Not determined

SECTION 10 -- STABILITY AND REACTIVITY

CHEMICAL STABILITY	STABLE	X	UNSTABLE
CONDITIONS TO AVOID	No special precautions beyond standard safe industrial practices.		
INCOMPATIBILITY	Contact with strong acids produces exothermic reaction.		
HAZARDOUS PRODUCTS OF DECOMPOSITION	Oxides of carbon.		
POLYMERIZATION	WILL NOT OCCUR	X	MAY OCCUR
CONDITIONS TO AVOID	Not applicable		

SECTION 11 -- TOXICOLOGICAL INFORMATION

CARCINOGENICITY

	THIS PRODUCT CONTAINS A KNOWN OR SUSPECTED CARCINOGEN
X	THIS PRODUCT DOES NOT CONTAIN ANY KNOWN OR ANTICIPATED CARCINOGENS ACCORDING TO THE CRITERIA OF THE NTP ANNUAL REPORT ON CARCINOGENS AND OSHA 29 CFR 1910, Z

OTHER EFFECTS

ACUTE	Not determined
CHRONIC	Not determined

SECTION 12 -- ECOLOGICAL INFORMATION

BIODEGRADABILITY	<input type="checkbox"/>	CONSIDERED BIODEGRADABLE	<input checked="" type="checkbox"/>	<input type="checkbox"/>	NOT BIODEGRADABLE
BOD / COD VALUE	Not established				
ECOTOXICITY	No data available				

SECTION 13 -- DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD	Product that cannot be used according to the label must be disposed of as a hazardous waste at an approved hazardous waste management facility. Empty containers may be triple rinsed, then offered for recycling or reconditioning; or puncture and dispose of in a sanitary landfill.						
RCRA CLASSIFICATION	Hazardous, corrosive D002						
RECYCLE CONTAINER	<input type="checkbox"/>	YES	<input checked="" type="checkbox"/>	CODE	2 - HDPE	<input type="checkbox"/>	NO

SECTION 14 -- TRANSPORT INFORMATION

DOT CLASSIFICATION	<input type="checkbox"/>	HAZARDOUS	<input checked="" type="checkbox"/>	<input type="checkbox"/>	NOT HAZARDOUS
DESCRIPTION	Corrosive liquid, basic, inorganic, n.o.s. (Potassium hydroxide), 8, UN3266, II, LTD QTY <i>[Exempt from labeling and placarding requirements]</i>				
SYSCO HM CODE	HM 0178				

SECTION 15 -- REGULATORY INFORMATION

REGULATORY STATUS

<input type="checkbox"/>	EPA REGISTERED (UNDER FIFRA)	
<input type="checkbox"/>	FDA REGULATED	
<input type="checkbox"/>	KOSHER	
<input checked="" type="checkbox"/>	SARA TITLE III MATERIAL	Potassium hydroxide (Sec. 304) & Dieth. glycol butyl ether (Sec. 313)
<input type="checkbox"/>	USDA AUTHORIZED	
<input checked="" type="checkbox"/>	CANADA WHMIS	Controlled Product, Class E - Corrosive Material

SECTION 16 -- OTHER INFORMATION

NFPA CLASSIFICATION

3	BLUE	HEALTH HAZARD
0	RED	FLAMMABILITY
0	YELLOW	REACTIVITY
--	WHITE	SPECIAL HAZARD

Information contained in this MSDS refers only to the specific material designated and does not relate to any process or use involving other materials. This information is based on data believed to be reliable, and the Product is intended to be used in a manner that is customary and reasonably foreseeable. Since actual use and handling are beyond our control, no warranty, express or implied, is made and no liability is assumed by Sysco in connection with the use of this information.