

Material Safety Data Sheet

I. General Information

PRODUCT NAME OR NUMBER (as it appears on label): Lemon Lime RCP Number: FG 9C94 00 Aromatech Reference Number: 5035806	EMERGENCY TELEPHONE NO.: Emergency Phone#1-800-255-3924 (Aroma Tech) This Products Emergency Code is: 2
MANUFACTURER'S NAME: Rubbermaid Commercial Products LLC	DATE OF LAST REVISION : 02/09/06
ADDRESS (Number, Street, City, State and Zip Code): 3124 Valley Avenue, Winchester, VA 22601	MANUFACTURER'S D-U-N-S NO.: NA
ADDITIONAL HAZARD CLASSES (as applicable): Health: 1 Flammability: 2 Reactivity: 0 Personal Protection: C	

II. Ingredients (list all ingredients) 100% Needed

CAS Registry #	%W	Chemical Group (TSCA)	Listd as a Carcinogen in NTP, IARC or OSHA 1910(z) (specify)
Various	<1	Misc.	No
66070-58-4	10	Polymer	No
90622-57-4	78	Aliphatic hydrocarbon	No
93-18-5	<1	Cyclic ether	No
6485-40-1	<1	Ketone	No
80-54-6	10	Aldehydes	No
140-11-4	1	Esters	No

III. Physical Properties

Physical State: Clear Gel
Refractive Index @ 25°C: N/A
Specific Gravity @ 25°C: N/A
Density @ 25°C: N/A
Color: Yellow

Vapor Pressure @ 20°C: N/A
VOC%: N/A
Melting Point (CC) (°F): N/A
Flash Point (CC) (°F): 142
Soluble in: Oil

IV. Physical Hazards

Type of Hazard: Combustible

Extinguishing Media: Foam, CO₂, Dry Chemical

Special Fire Fighting Procedures: Self Contained Breathing Apparatus, Protective Clothing

Materials/Conditions to Avoid: Open Flames, Excessive Heat/Cold

Unusual Fire, Explosion Hazards: None Found

Stability: Stable

V. Health Hazards

Warning!! Direct Contact with eye or skin may cause irritation.
Breathing Concentrated Vapors may cause respiratory irritation.

Threshold limit value (TLV): Not Established

OSHA Permissible Exposure Limit (PEL): Not Established

Primary Route(s) of Entry: Skin Contact, Inhalation, Ingestion.

Effects of Overexposure: None Currently Known.

VI. First Aid Procedures

Eyes: Immediately flush eyes with large quantities of water for at least 15 minutes. Remove contact lenses. Call a physician if irritation persists.

Inhalation: Remove to fresh air. If breathing has stopped or is irregular, administer artificial respiration and oxygen. Seek medical attention.

Skin: Wash with soap and water, flush with large quantities of water. Keep Contaminated clothing away from skin.

Ingestion: If swallowed, immediately dilute with two 8 ounce glasses of water or milk. Contact physician immediately

VII. Hazardous Ingredients Information

The identity of individual components of this mixture is proprietary information and is regarded to be a trade secret. This mixture contains no suspected carcinogens as reported by NTP, ACGIH, OSHA or IARC at 0.1% or Greater. One or more of the components present in greater than 1% concentration may present the following health effects based on evaluation of the individual components: May cause eye, skin or respiratory irritation.

The above effects are based on evaluation of individual components and the relevancy to the mixture as a whole or to humans is unknown. Excessive exposure may cause similar effects.

In humans, one or more of the individual components may cause the following health effects: May be irritating to eyes and skin.

VIII. Personal Protection

Eyes: The use of safety glasses is recommended. If a material is to be handled in a manner where splashing may occur, the use of splash goggles or face shield is recommended.

Respiratory: In well-ventilated areas, respiratory protection is not normally required. In confined, poorly ventilated areas, the use of NIOSH approved respiratory protection is recommended.

Equipment Apparel: The use of chemical resistant gloves is recommended. Acceptable industrial hygiene

IX. Storage and Handling

It is recommended that this material be stored in a cool, well-ventilated area, avoiding open flames or other sources of ignition.

X. Spill, Release and Waste Disposal Procedures

Spill or Release: Cover liquids with absorptive material. Sweep spilled material and discard in approved disposal container.

Disposal Procedures: Used containers may contain flammable or combustible residue. Dispose of in accordance with local, state and federal regulations.

XI. Toxic Substances and Control Act

The Components of this product are found in the TSCA Inventory.

This product meets current RIFM/IFRA guidelines for:

Skin Contacting products up to a maximum concentration of 100%

Non-Skin contacting products up to a maximum concentration of 100%

XII. Superfund Amendments and Reauthorization Act (SARA) Title III Notice

This product complies with TSCA inventory Requirements. The polymer component is eligible for the TSCA polymer exemption and, as such, is being manufactured/imported under the terms of the exemption at 40 CFR 723.250

Material Safety Data Sheet

I. General Information

PRODUCT NAME OR NUMBER (as it appears on label): Cedar Forest RCP Number: FG 9C96 00 Aromatech Reference Number: 5039210	EMERGENCY TELEPHONE NO.: Emergency Phone#1-800-255-3924 (Aroma Tech) This Products Emergency Code is: 2
MANUFACTURER'S NAME: Rubbermaid Commercial Products LLC	DATE OF LAST REVISION : 02/09/06
ADDRESS (Number, Street, City, State and Zip Code): 3124 Valley Avenue, Winchester, VA 22601	MANUFACTURER'S D-U-N-S NO.: NA
ADDITIONAL HAZARD CLASSES (as applicable): Health: 1 Flammability: 2 Reactivity: 0 Personal Protection: C	

II. Ingredients (list all ingredients) 100% Needed

CAS Registry #	%V	Chemical Group (TSCA)	Listd as a Carcinogen in NTP, IARC or OSHA 1910(z) (specify)
Various	<1	Misc.	No
66070-58-4	10	Polymer	No
90622-57-4	70	Aliphatic hydrocarbon	No
Various	8	Essential oils and resins	No
89-78-1	<1	Alcohols (hydroxy compounds)	No
6485-40-1	<1	Ketone	No
140-11-4	11	Esters	No

III. Physical Properties

Physical State: Clear Gel
Refractive Index @ 25°C: N/A
Specific Gravity @ 25°C: N/A
Density @ 25°C: N/A
Color: Amber

Vapor Pressure @ 20°C: N/A
VOC%: N/A
Melting Point (CC) (°F): N/A
Flash Point (CC) (°F): 178
Soluble in: Oil

IV. Physical Hazards

Type of Hazard: Combustible

Extinguishing Media: Foam, CO₂, Dry Chemical

Special Fire Fighting Procedures: Self Contained Breathing Apparatus, Protective Clothing

Materials/Conditions to Avoid: Open Flames, Excessive Heat/Cold

Unusual Fire, Explosion Hazards: None Found

Stability: Stable

V. Health Hazards

Warning!! Direct Contact with eye or skin may cause irritation.
Breathing Concentrated Vapors may cause respiratory irritation.

Threshold limit value (TLV): Not Established

OSHA Permissible Exposure Limit (PEL): Not Established

Primary Route(s) of Entry: Skin Contact, Inhalation, Ingestion.

Effects of Overexposure: None Currently Known.

VI. First Aid Procedures

Eyes: Immediately flush eyes with large quantities of water for at least 15 minutes. Remove contact lenses. Call a physician if irritation persists.

Inhalation: Remove to fresh air. If breathing has stopped or is irregular, administer artificial respiration and oxygen. Seek medical attention.

Skin: Wash with soap and water, flush with large quantities of water. Keep Contaminated clothing away from skin.

Ingestion: If swallowed, immediately dilute with two 8 ounce glasses of water or milk. Contact physician immediately

VII. Hazardous Ingredients Information

The identity of individual components of this mixture is proprietary information and is regarded to be a trade secret. This mixture contains no suspected carcinogens as reported by NTP, ACGIH, OSHA or IARC at 0.1% or Greater. One or more of the components present in greater than 1% concentration may present the following health effects based on evaluation of the individual components: May cause eye, skin or respiratory irritation.

The above effects are based on evaluation of individual components and the relevancy to the mixture as a whole or to humans is unknown. Excessive exposure may cause similar effects.

In humans, one or more of the individual components may cause the following health effects: May be irritating to eyes and skin.

VIII. Personal Protection

Eyes: The use of safety glasses is recommended. If a material is to be handled in a manner where splashing may occur, the use of splash goggles or face shield is recommended.

Respiratory: In well-ventilated areas, respiratory protection is not normally required. In confined, poorly ventilated areas, the use of NIOSH approved respiratory protection is recommended.

IX. Storage and Handling

It is recommended that this material be stored in a cool, well-ventilated area, avoiding open flames or other sources of ignition.

X. Spill, Release and Waste Disposal Procedures

Spill or Release: Cover liquids with absorptive material. Sweep spilled material and discard in approved disposal container.

Disposal Procedures: Used containers may contain flammable or combustible residue. Dispose of in accordance with local, state and federal regulations.

XI. Toxic Substances and Control Act

The Components of this product are found in the TSCA Inventory.

This product meets current RIFM/IFRA guidelines for:

Skin Contacting products up to a maximum concentration of 100%

Non-Skin contacting products up to a maximum concentration of 100%

XII. Superfund Amendments and Reauthorization Act (SARA) Title III Notice

This product complies with TSCA inventory Requirements. The polymer component is eligible for the TSCA polymer exemption and, as such, is being manufactured/imported under the terms of the exemption at 40 CFR 723.250

Material Safety Data Sheet

I. General Information

PRODUCT NAME OR NUMBER (as it appears on label): SeBreeze® Wintermint Fragrance Cassette® Canister RCP Number: FG 9C95 01	EMERGENCY TELEPHONE NO.: Emergency Phone#1-800-255-3924 (Aroma Tech) This Products Emergency Code is: 2
MANUFACTURER'S NAME: Rubbermaid Commercial Products LLC	DATE OF LAST REVISION : 02/16/06
ADDRESS (Number, Street, City, State and Zip Code): 3124 Valley Avenue, Winchester, VA 22601	MANUFACTURER'S D-U-N-S NO.: NA
ADDITIONAL HAZARD CLASSES (as applicable): Health: 1 Flammability: 2 Reactivity: 0 Personal Protection: C	

II. Ingredients (list all ingredients) 100% Needed

CAS Registry #	% W	Chemical Group (TSCA)	Listd as a Carcinogen in NTP, IARC or OSHA 1910(z) (specify)
Various	<1	Misc.	No
66070-58-4	10	Polymer	No
90622-57-4	76	Aliphatic hydrocarbon	No
Various	3	Essential oils and resins	No
89-78-1	5	Alcohols (hydroxy compounds)	No
104-67-6	<1	Lactone	No
1222-05-5	<1	Cyclic ether	No
6485-40-1	3	Ketone	No
80-54-6	<1	Aldehydes	No
140-11-4	2	Esters	No

III. Physical Properties

Physical State: Clear Gel

Vapor Pressure @ 20°C: N/A

IV. Physical Hazards

Type of Hazard: Combustible

Extinguishing Media: Foam, CO₂, Dry Chemical

Special Fire Fighting Procedures: Self Contained Breathing Apparatus, Protective Clothing

Materials/Conditions to Avoid: Open Flames, Excessive Heat/Cold

Unusual Fire, Explosion Hazards: None Found

Stability: Stable

V. Health Hazards

Warning!! Direct Contact with eye or skin may cause irritation.
 Breathing Concentrated Vapors may cause respiratory irritation.

Threshold limit value (TLV): Not Established

OSHA Permissible Exposure Limit (PEL): Not Established

Primary Route(s) of Entry: Skin Contact, Inhalation, Ingestion.

Effects of Overexposure: None Currently Known.

VI. First Aid Procedures

Eyes: Immediately flush eyes with large quantities of water for at least 15 minutes. Remove contact lenses. Call a physician if irritation persists.

Inhalation: Remove to fresh air. If breathing has stopped or is irregular, administer artificial respiration and oxygen. Seek medical attention.

Skin: Wash with soap and water, flush with large quantities of water. Keep Contaminated clothing away from skin.

Ingestion: If swallowed, immediately dilute with two 8 ounce glasses of water or milk. Contact physician immediately

VII. Hazardous Ingredients Information

The identity of individual components of this mixture is proprietary information and is regarded to be a trade secret. This mixture contains no suspected carcinogens as reported by NTP, ACGIH, OSHA or IARC at 0.1% or Greater. One or more of the components present in greater than 1% concentration may present the following health effects based on evaluation of the individual components: May cause eye, skin or respiratory irritation.

The above effects are based on evaluation of individual components and the relevancy to the mixture as a whole or to humans is unknown. Excessive exposure may cause similar effects.

In humans, one or more of the individual components may cause the following health effects: May be irritating to eyes and skin.

VIII. Personal Protection

Eyes: The use of safety glasses is recommended. If a material is to be handled in a manner where splashing may occur, the use of splash goggles or face shield is recommended.

IX. Storage and Handling

It is recommended that this material be stored in a cool, well-ventilated area, avoiding open flames or other sources of ignition.

X. Spill, Release and Waste Disposal Procedures

Spill or Release: Cover liquids with absorptive material. Sweep spilled material and discard in approved disposal container.

Disposal Procedures: Used containers may contain flammable or combustible residue. Dispose of in accordance with local, state and federal regulations.

XI. Toxic Substances and Control Act

The Components of this product are found in the TSCA Inventory.

This product meets current RIFM/IFRA guidelines for:

Skin Contacting products up to a maximum concentration of 100%

Non-Skin contacting products up to a maximum concentration of 100%

XII. Superfund Amendments and Reauthorization Act (SARA) Title III Notice

This product complies with TSCA inventory Requirements. The polymer component is eligible for the TSCA polymer exemption and, as such, is being manufactured/imported under the terms of the exemption at 40 CFR 723.250